Author Index to Volumes 1 and 2

Please note that A indicates Volume 1 and B indicates Volume 2.

Aberle, J. T.
—; Pozar, D. M.: A Full-Wave Solution for the Mutual Coupling between Circular Microstrip Patch Antennas, 130B
Abushagur, M. A. G.
Adaptive Array Radar Data Processing Using the Bimodal Optical Computer, 236A
Achkar, J. See Picon, O., 240A
Ackerson, B. J. See Chowdhury, A., 175A
Aksun, M. I.
—; Wang, Z. H.; Chuang, S. L.; Lo, Y. T.: Double-Slot-Fed Microstrip Antennas for Circular Polarization Operation, 343B
Alanen, E.
Pyramidical Basis Functions in the Method of Moments, 265B
Albinsson, B.
—; Schöön, M.; Vickes, H.-O.: Quadrature Phase Shifter Using One Dual-Gate MESFET, 196A
Alcaraz, J. A. See Cátedra, M. F., 165B
Alexeyev, A. N.
—; Jian-hui, Z.; Jun-de, S.: A New Model for Diffusion from Periodical Ti Strips into $LiNbO_3$ Crystal, 311A
Alexopoulos, N. G. See Yang, H.-Y., 348A
Amantea, R. See Evans, G. A., 334B
Angelov, I. See Stoeva, A., 132B
Aoyagi, P. See Lo, Y. T., 26A
Arora, K.
—; Arora, R. K.: Generation of Microwave Signals from a Laser Diode Coupled to an External Cavity, 13B
Arora, R. K.
An Interpolation Method for Measuring the *Q*-Factor of a Quasi-Optical Open Resonator, 296A
—; See Arora, K., 13B
Atkin, G. E.
—; Fares, D. A.; Corrales, H. P.: Coded Multipulse Position Modulation in a Noisy Optical Channel, 336B
Atkinson, L. A.
—; Kruppa, W.: Analysis of an Electrically Long, All-Dielectric, Fiber-Optic Electric-Field Sensor, 361B
Atsuki, K.
—; Kaewsuriyathumrong, S.; Yamashita, E.: Cutoff Characteristics of Composite Optical Fibers, 29A
Awai, I. See Konishi, Y., 44A
Awwal, A. A. S.
—; Karim, M. A.: Edge Detection Using Polarization-Encoded Optical Shadow-Casting, 377A
—; Karim, M. A.: Low Frequency Nonlinear Fabry–Perot Resonator, 88B
—; See Chowdhury, A., 175A
Axelrod, A. See Kisliuk, M., 126A

Bahl, I. J.
On the Design of an Active Circulator, 18A
—; Geissberger, A.; Griffin, E.: High-Efficiency Variable-Power Class-B Dual-Gate Power FETs, 155B
—; Griffin, E. L.; Willems, D. A.: *N*-Way MMIC Redundant Switch, 110A
Bajpai, O. P. See Deekshatulu, B. L., 50B
Baños-Polglase, J. D.
—; Rebollar, J. M.: Folded Radial-Line Filters, 336A
Baraniecki, A. Z.
Optical Processors Using Modular Number Codes for Complex Signals, 47B
Bartolucci, G. See Giannini, F., 96B; 291B
Basch, E. E.
—; Kearns, R. F.; Brown, T. G.: Error Probability of Optical PSK Systems with Nonlinear Loop Dynamics and Postdetection Filtering, 184A
Basile, P. See Rosen, A., 374B
Baudrand, H. See Duarte, A. D. N., 54B; Tao, J. W., 103B
Bayrun, J. See Bharj, S. S., 95A
Beckman, C.
—; Lundgren, L.; Roos, D.: Delectric-Loaded Circular Ridge Waveguide Applicator for Hyperthermia, 221A
Bergner, H.
—; Brueckner, V.; Lenzner, M.; Strobel, R.: Optimization of the Gap Geometry in Ultrafast Opto-electronic Switching Experiments, 137A
Bergquist, A.
A Simple Method of Determining an Inverse Matrix, 222B
Betti, S.
—; Curti, F.; De Marchis, G.; Iannone, E.: A Novel Phase-Noise and Polarization Fluctuations Compensating Coherent Optical System, 127B
—; Curti, F.; De Marchis, G.; Iannone, E.: A Phase-Noise-Compensating Transmission Method for Phase-Modulated Coherent Optical Systems, 161A
—; Curti, F.; De Marchis, G.; Iannone, E.: Coherent Optical System Based on Polarization Modulation and Stokes Parameters Differential Detection Tailored for LAN Application, 188B
—; Curti, F.; De Marchis, G.; Iannone, E.: Double FSK Coherent Optical System Exploiting the Orthogonal Polarization Modes of a Single-Mode Fiber, 325B
—; Curti, F.; De Marchis, G.; Iannone, E.: Erratum to "A Phase-Noise-Compensating Transmission Method for Phase-Modulated Coherent Optical Systems," 392A
—; Curti, F.; De Marchis, G.; Iannone, E.: Large Deviation FSK Baseband Receiver Using an Optical Multiport Device, 418B
Beyer, J. B. See Prasad, S. N., 349B
Bhadra Chaudhuri, S. R. See Gupta, B., 386B
Bharj, S. S.
—; Bayrun, J.; Dayal, H.; Paradise, R.: An *L*-Band Monolithic Microwave Receiver, 95A
—; Tan, S. P.; Gluck, J.; Thompson, B.: *X*-Band Local Oscillator Distribution Network, 297B
Bhartia, P. See Seshagiri Rao, K. V., 282A
Bhasin, K. B. See Claspy, P. C., 1B
Bhattacharyya, A. K.
Cutoff Frequencies and Radial Wave Numbers of Surface Wave Modes in a Multilayered Structure, 138B
Bibby, T. F. A. See Evans, G. A., 334B
Bosisio, R. G. See Xu, Y., 364B
Bour, D. See Evans, G. A., 334B
Bradshaw, K. See Shih, H. D., 153B
Brandão Faria, J. A.
Microstrip Bandstop and Passband Filters Using Gap Discontinuities and Shorted Terminals, 441B
Standing Wave Effects in a Symmetrical Three-Line Microstrip Coupler with Short-Circuited Side Lines, 64B
Wave Propagation in Weakly Coupled Microstrip Lines—An Anomalous Degenerate Quasi-TEM Solution, 149B
Brenneman, J. S. See Lo, Y. T., 26A
Brown, T. G. See Basch, E. E., 184A
Brueckner, V. See Bergner, H., 137A
Buechler, J. See Luy, J. F., 117A
Butler, D.
—; Chauchard, E. A.; Webb, K. J.; Zaki, K. A.; Lee, C. H.; Polak-Dingels, P.; Hung, H.-L. A.; Huang, H. C.: A CW 20-GHz Optoelectronic Source with Phased-Array Applications, 119A
Butler, J. K. See Evans, G. A., 334B
Byl, C.
—; Crosnier, Y.: New Design of Flat Gain and Wideband Field Effect Structure, 313B

Cangellaris, A. C.
Propagation Characteristics of Superconductive Interconnects, 153A

Cano, G.
—; Medina, F.; Horno, M.: Frequency Dependent Characteristic Impedance of Microstrip and Finline on Layered Biaxial Substrates, 210B

Carlson, N. W. See Evans, G. A., 334B

Caroglanian, A. See Webb, K. J., 317A

Casper, A. C. A. See Herben, M. H. A. J., 368B

Caulfield, H. J. See Shamir, J., 100A

Cátedra, M. F.
—; Alcaraz, J. A.: Analysis of Finite Dielectric Sheets with Arbitrarily Shaped Metallization on both Sides Using the Conjugate Gradient–Fast Fourier Transform Method, 165B

Chan, C. H.
A Numerically Efficient Technique for the Method of Moments Solution of Electromagnetic Problem Associated with Planar Periodic Structures, 372A
Spectral Green's Functions for a Thin, Circular, Magnetic-Current Loop for Microstrip Via Hole Analysis, 157B
—; See Kouki, A. B., 85B; Pantic-Tanner, Z., 3B

Chan, H. P. See Chung, P. S., 421B

Chang, K.
—; Li, M.; Sauter, T.: A Three-Port Microstrip Impedance Measurement System, 90A
—; Pandey, R. K.; Skrehot, M. K.; Li, M.; Gilbert, G. R.: RF Characteristics of a High-Temperature Superconductive Resonant Strip in Waveguide, 189A
—; See Hummer, K. A., 8A; McGregor, D. S., 159B; Miller, J. A., 393B

Changhua, W. See Lin, W., 163A

Chao, Y. See Runwen, Wang, 58B

Chaoxiang, S. See Rongqing, H., 319B

Chauchard, E. A. See Butler, D., 119A

Cheng, Y. B. See Knop, C. M., 308A

Cheng, Y.-H.
—; Lin, W.: Local Field Analysis of Bent Optical Waveguides, 285B
—; Lin, W.: Local Field in a Bent Step-Index Slab Waveguide, 329A
—; Lin, W.-G.: Generalized Coupled Mode Theory of Curved Multiwaveguide Systems, 265A
—; Lin, W.-G.: Pure Bending-Induced Birefringence in Optical Waveguides: A Simple Analytical Expression, 136A

Cherri, A. K.
—; Karim, M. A.: Morphological Transformation Using Optical Symbolic Substitution, 282B
—; Karim, M. A.: Simplified Arithmetic For Optical Symbolic Substitution, 310A

Chew, W. C.
An N^2 Algorithm for the Multiple Scattering Solution of N Scatterers, 380B
—; See Choi, S. J., 357B

Choe, B. See Daryoush, A. S., 344A

Choi, H.-C.
—; Ra, J.-W.; Kim, S.-Y.: Regularization of Permittivity Profiles Reconstructed by a Spectral Inverse Scattering Scheme, 26B

Choi, S. J.
—; Lo, Y. T.; Chew, W. C.: Q-factors and Designs of CP Microstrip Antennas, 357B

Choi, Y. A.
—; Taylor, H. F.: Gigahertz-Bandwidth Optoelectronic Differential Amplifier, 49B

Choo, E. B. L.
—; Stewart, J. A. C.; Fusco, V. F.: Computer-Aided Design of Nonlinear Optimum Output Power MESFET Oscillator, 277A

Chou, R. See Lee, S. W., 81A; 286A

Chowdhury, A. H.
—; Ackerson, B. J.; Wood, F.; Karim, M. A.; Awwal, A. A. S.: All-Optical Logic Gates Using Colloids, 175A

Chowdhury, S. K. See Gupta, B., 386B; Roy, J. S., 257A; 37B; 249B

Chrostowski, J. See Wartak, M. S., 340B

Chu, M. C. See Yeo, S. P., 208A

Chu, Q. See Kajfez, D., 431B

Chu, T. S.
—; Gans, M. J.: Beam Transformation by Defocused Imaging Lens, 357A

Chuang, S. L. See Aksun, M. I., 343B

Chung, P. S.
—; Hung, W. Y.; Chan, H. P.: Fabrication of Waveguide–Fiber Array Couplers Using Laser-Machined V-Groove Techniques in Perspex Substrates, 421B

Citerne, J. See Picon, O., 240A

Claspy, P. C.
—; Bhasin, K. B.: Microwave Response of a HEMT Photoconductive Detector, 1B
—; See Sitterle, J. J., 40A

Cook, A. R. J. See Hodgkinson, T. G., 246A

Corrales, H. P. See Atkin, G. E., 336B

Crosnier, Y. See Byl, C., 313B; De Jaeger, J. C., 121B

Curti, F. See Betti, S., 161A; 392A; 127B; 188B; 325B; 418B

Czekaj, J.
—; Shaw, M. P.; Grubin, H. L.: Contact Effects in InP Near-Micron Transferred Electron Devices, 70B

Daryoush, A. S.
—; Choe, B.: Optically Reconfigured Active Phased Array Antennas, 344A
—; See Koffman, I., 232A

Davidson, D. B.
—; McNamara, D. A.: Comparisons of the Application of Various Conjugate-Gradient Algorithms to Electromagnetic Radiation from Conducting Bodies of Revolution, 243A

Dayal, H. See Bharj, S. S., 95A

Deekshatulu, B. L.
—; Bajpai, O. P.; Meenakshisundaram, P.: White-Light Optical Directional Frequency False Color Coding—A New Technique, 50B

DeFonzo, A. P.
—; Gomatam, B.: Multimode Analysis of Semiconductor Lasers through a Large Signal Nonlinear Equivalent Circuit Model, 102A

De Jaeger, J. C.
—; Fellon, P.; Kozlowski, R.; Crosnier, Y.; Salmer, G.: Theoretical Analysis of the Breakdown Voltage in InP MISFETs, 121B

Delmaster, J. See Rosen, A., 374B

Delrue, R.
—; Seguinot, C.; Pribetich, P.; Kennis, P.: Desktop Computer Models for CAD of Coplanar Lines Laid on Semiconductor Layers with Dielectric Cap Layer, 183B

de Maagt, P. J. I. See Herben, M. H. A. J., 368B

De Marchis, G. See Betti, S., 161A; 392A; 127B; 188B; 325B; 418B

de Salles, A. A. See Rocco, M. T. M., 415B

Deshpande, M. D. See Reddy, C. J., 133A

Dingyuan, T.
—; Peixia, Q.; Fuxin, Z.; Runwen, W.: Self-Steepening Effect of Optical Pulse Propagating in Kerr Medium, 340A

Dou, W. B.
—; Li, S. F.: On Volume Modes and Surface Modes in Partial-Height Ferrite Circulators and their Bandwidth Expansion at Millimeter Wave Band, 200A

Duarte, A. D. N.
—; Baudrand, H.: Hybrid-Mode Analysis of Asymmetrical Shielded Dielectric Resonator, 54B

Duncan, W. M. See Shih, H. D., 153B

Einziger, P. D.
—; Leviatan, Y.; Rozenkovich, J.: Broad-Band Reactively Loaded Dipole Antenna, 208B

Elcrat, A. R.
—; Foster, J. D.; Walsh, J. L.: Scattering of a TEM Wave from a Time Varying Slab, 113B

Eldali, S. See Kosmopoulos, S. A., 346B

El-Ghazaly, S.
—; Itoh, T.; Salmer, G.: Study of MESFETs on P-Substrates and on Thin P-Layers, 32A

Englert, T. J.
—; Flohr, M. C.: Waveguide Measurements on Dye-Filled Hollow-Core Fibers as Laser Systems, 194A

Espes, P. See Tao, J. W., 103B

Evans, G. A.
—; Carlson, N. W.; Bour, D.; Hammer, J. M.; Lurie, M.; Butler, J. K.; Palfrey, S. L.; Amantea, R.; Bibby, T. F. A.; Farkas, R. E.; Gilbert, D. B.; Truxal, D. A.: Grating-Surface-Emitting Laser Arrays with > 1 cm Output Apertures, 334B
Even-Or, B. See Koffman, I., 232A

Fares, D. A. See Atkin, G. E., 336B
Farkas, R. E. See Evans, G. A., 334B
Fellon, P. See De Jaeger, J. C., 121B
Fetterman, H. R.
—; Ni, D. C.: Control of Millimeter Wave Devices by Optical Mixing, 34A
Figueroa, L. See Lee, S., 20A
Fjeldly, T. A. See Leistad, J. E., 244B
Flohr, M. C. See Englert, T. J., 194A
Forooraghi, K.
Analysis of Self-Admittance of a Longitudinal Shunt Slot Radiating Into a Parallel Plate Region, 305A
Foster J. D. See Elcrat, A. R., 113B
Fouladian, J. See Mansour, R. R., 286B
Fusco, V. F.
—; Kerlin, J. B. D.: Single Stage Branchline Couplers Reappraised, 364A
—; Linden, P. A.: A Markov Chain Approach for Static Field Analysis, 216A
—; O'Caireallain, S. B. D.: Lumped Element Hybrid Networks for GaAs MMICs, 19B
—; See Choo, E. B. L., 277A; Merugu, L. N., 424B; O'Caireallain, S. B. D., 216B
Fuxin, Z. See Dingyuan, T., 340A

Galindo-Israel, V. See Jervase, J. A., 43B
Gans, M. J. See Chu, T. S., 357A
Gee, C. M.
—; Thurmond, G. D.; Newberg, I. L.; Yen, H. W.; Lafaw, D.; Spink, B.: 11-GHz Fiber Optic Links for Airborne Satellite Communications Applications, 67B
—; See Newberg, I. L., 229A
Geissberger, A. See Bahl, I., 155B
Georgopoulos, C. J.
Multifunctional LED Array-Switching Circuitry, 131A
Ghafoori-Shiraz, H.
Analysis of Beam Divergence in InGaAsP/InP Semiconductor Laser Diodes, 384A
Effective Refractive Index and Single-Transverse Mode Condition in InGaAsP/InP BH Laser Diodes, 262A
Erratum to "Analysis of Beam Divergence in InGaAsP/InP Semiconductor Laser Diodes," 191B
Erratum to "On Spot Sizes of 1.3–1.55-μm InGaAsP/InP Semiconductor Laser Diodes," 191B
On Spot Sizes of 1.3–1.55-μm InGaAsP/InP Semiconductor Laser Diodes, 214A
—; Kotsas, A.; Maclean, T. S. M.: Simulation of Coupling Efficiency between a Laser Diode and a Single-Mode Fiber with Microlens End, 170B
Giannini, F.
—; Bartolucci, G.; Ruggieri, M.: Low-Impedance Matching: The Straight Stub Solution, 96B
—; Ruggieri, M.; Bartolucci, G.; Paoloni, C.: Low Impedance Matching: The Radial Stub Solution, 291B
Gilbert, D. B. See Evans, G. A., 334B
Gilbert, G. R. See Chang, K., 189A
Gluck, J. See Bharj, S. S., 297B
Goel, A. K.
Determination of the Transverse Propagation Delays in Single-Gate GaAs MESFETs, 51B
Efficient Calculation of Propagation Delays in the VLSI Multilevel Interconnections, 272B
—; Huang, Y. R.: Crosstalk among the Parallel Multilevel Interconnections on the GaAs-Based VLSIC's, 196B
—; Huang, Y. R.: Efficient Characterization of Multilevel Interconnections on the GaAs-Based VLSICs, 252A
Gomatam, B. See DeFonzo, A. P., 102A
Gombar, A. See Rosen, A., 374B
Griffin, E. L. See Bahl, I. J., 110A, 155B
Grimes, D. M. See McGinn, V. P., 326A
Grönqvist, H. See Rydberg, A., 333A
Grounds, P. W. See Webb, K. J., 317A
Grubin, H. L. See Czekaj, J., 70B
Gruner, L.
Mode Spectrum of Waveguides Using A Generalized Mode Matching Technique, 146A
Guo, Q.
—; Zhou, G.; Lin, W.: Mutual Interaction of the First-Order Soliton Multipulse Series in Optical Fibers, 383B
Guo-Xian, Y. See Xue-Feng, H., 101B
Gupta, B.
—; Bhadra Chaudhuri, S. R.; Mukherjee, A.; Poddar, D. R.; Chowdhury, S. K.: A Technique for Reducing Mutual Coupling between Rectangular Microstrip Antennas by Frequency Scaling, 386B
Güttich, U.
Planar Integrated 20 GHz Receiver in Slotline and Coplanar Waveguide Technique, 404B

Haddad, G. I. See Mehdi, I., 172B
Hai-Ting, Z. See Xue-Feng, H., 101B
Hammer, J. M. See Evans, G. A., 334B
Hanna, V. F.
Parameters of Shielded Modified Coupled Microstrip Lines, 407B
—; See Picon, O., 240A
Hansen, R. C.
On the Directivity of Conical Horn Antennas, 386A
Hård, S. See Jacobsson, S., 268A
Hendrickson, B. M. See Shamir, J., 100A
Herben, M. H. A. J.
—; de Maagt, P. J. I.; van de Goor, W. A.; Casper, A. C. A.: Multifrequency Antenna System for Propagation Experiments at 12.5, 20, and 30 GHz, 368B
Herczfeld, P. R. See Koffman, I., 232A; Paolella, A., 13A
Hodgkinson, T. G.
—; Cook, A. R. J.: Polarization Insensitive Coherent Detection Using Orthogonally Polarized Optical Fields, 246A
Hoefer, W. J. R. See Kosmopoulos, S. A., 346B
Hong, W.
Theoretical Investigation on the Effects of Nonmatching Loads Upon the Impedances of Millimeter Wave Oscillators, 437B
Hoppe, D.
A Square Multiflare Horn with 1-Megawatt CW Power-Handling Capability, 400B
Horno, M. See Cano, G., 210B; Marqués, R., 39B; Plaza, G., 257B
Horton, T. See Lee, S., 20A
Hua, L.
A Method of Generating a Linear Frequency Sweep in the Microwave Band, 59B
Huang, H. C. See Butler, D., 119A
Huang, Y. R. See Goel, A. K., 252A; 196B
Hummer, K. A.
—; Chang, K.: Spatial Power Combining Using Active Microstrip Patch Antennas, 8A
Hung, H.-L. A. See Butler, D., 119A
Hung, W. Y. See Chung, P. S., 421B
Huret, F.
—; Kinowski, D.; Pribetich, P.; Kennis, P.: Addition to Spectral Domain Analysis of a Microstrip Thin Superconducting Line Laid on GaAs Substrate, 378B
—; Kinowski, D.; Pribetich, P.; Kennis, P.: Spectral Domain Analysis of a Microstrip Thin Superconducting Line Laid on GaAs Substrate, 205B
Hurwitz, R. See Rosen, A., 374B
Huynh, T. See Lee, R. Q., 247B

Iannone, E. See Betti, S., 161A; 392A; 127B; 188B; 325B; 418B
Imbriale, W. See Jervase, J. A., 43B
Itoh, T. See El-Ghazaly, S., 32A
Itoh, Y. See Yasumoto, K., 317B

Jackson, C. M.
Patch Antenna Quasioptical Mixers, 1A
Jacobsson, S.
—; Hård, S.: Heterodyne Detection of Small Angle Scattered Far-Infrared Laser Radiation, 268A
Jansen, R. H. See Weimer, L., 22A
Janse van Rensburg, D. J. See McNamara, D. A., 355B
Janton, W. See Rosen, A., 374B

Jervase, J. A.
—; Mittra, R.; Galindo-Israel, V.; Imbriale, W.: Interpolation Solutions for the Problem of Synthesis of Dual-Shaped Offset Reflector Antennas, 43B
Jiang, L. See Zhendong, S., 427B
Jian-hui, Z. See Alexeyev, A. N., 311A
Jianping, Z.
—; Ling, L.; Peida, Y.: Frequency Chirping and the Impact of 1/f-Type Noise in Negative Electrical Feedback Semiconductor Lasers, 141B
Jin, Y. See Yu, F. T. S., 309B
Jun-de, S. See Alexeyev, A. N., 311A

Kaewsuriyathumrong, S. See Atsuki, K., 29A
Kajfez, D.
—; Wu, W. L.; Chu, Q.: Incremental Frequency Rules for Arbitrary Resonant Cavities, 431B
Kanellopoulos, V. N. See Webb, J. P., 370B
Kao, M.-S.
—; Wu, J.: Signal and Noise in a Coherent Optical Communication System Using Raman Amplifier, 10B
—; See Wu, J., 129A
Karim, M. A. See Awwal, A. A. S., 377A; 88B; Cherri, A. K., 310A; 282B; Chowdhury, A., 175A; Perez, O., 193B
Kearns, R. F. See Basch, E. E., 184A
Kennis, P. See Delrue, R., 183B; Huret, F., 205B; 378B
Kerlin, J. B. D. See Fusco, V. F., 364A
Khebir, A.
—; Ramahi, O.; Mittra, R.: An Efficient Partial Differential Equation Technique for Solving the Problem of Scattering by Objects of Arbitrary Shape, 229B
Kim, B. See Shih, H. D., 153B
Kim, S.-Y. See Choi, H.-C., 26B; Lee, T.-K., 179B
Kinowski, D. See Huret, F., 205B; 378B
Kisliuk, M.
—; Axelrod, A.; Maoz, J.: Compact, Broadband Double-Slot Waveguide Radiator, 126A
Knop, C. M.
—; Cheng, Y. B.: A Note on a Parabolic Elliptical Prime-Fed Offset Reflector Antenna, 308A
Ko, W. L.
—; Mittra, R.: Scattering by a Conformal Array of Metallic Patches, 145B
Koffman, I.
—; Herczfeld, P. R.; Daryoush, A. S.; Even-Or, B.; Markowitz, R.: A Fiber Optic Recirculating Memory Loop for Radar Applications, 232A
Kollberg, E. See Rydberg, A., 10A; 333A
Konishi, Y.
—; Awai, I.; Noritake, Y.; Nakajima, M.: Stabilization of Class *C* Transistor Amplifiers by Use of Ferrite Beads, 44A
Kosmopoulos, S. A.
—; Uher, J.; Hoefer, W. J. R.; Eldali, S.: Design and Performance of Finline Frequency Dividers, 346B
Kotsas, A. See Ghafoori-Shiraz, H., 170B
Kouki, A. B.
—; Chan, C. H.; Mittra, R.: A Spectral Domain Approach to Electromagnetic Coupling through Apertures in Planar Conducting Surfaces, 85B
Kozlowski, R. See De Jaeger, J. C., 121B
Kruppa, W. See Atkinson, L. A., 361B
Kubo, H. See Yasumoto, K., 317B

Lafaw, D. See Gee, C. M., 67B
Lakshminarayana, M. See Sastry, N. N., 74B
Langley, R. J. See Nurie, N. S., 389A
Lee, A. See Palusinski, O. A., 53B
Lee, C. H. See Butler, D., 119A; Rosen, A., 106A
Lee, C. S.
A Simple Method of Dual-Reflector Geometrical Optics Synthesis, 367A
Lee, K. F. See Lee, R. Q., 247B
Lee, R. Q.
—; Huynh, T.; Lee, K. F.: Experimental Study of the Cross-Polarization Characteristics of Rectangular Microstrip Antennas, 247B
Lee, R. Q. H. See Lo, Y. T., 26A
Lee, S.
—; Horton, T.; Figueroa, L.: A Novel Surface-Emitting Laser Using Leaky Mode Output Coupling, 20A
Lee, S. W.
—; Chou, R.: A Versatile Reflector Antenna Pattern Computation Method: Shooting and Bouncing Rays, 81A
—; Ling, H.; Chou, R.: Ray-Tube Integration in Shooting and Bouncing Ray Method, 286A
Lee, T.-K.
—; Park, S.-O.; Ra, J.-W.; Kim, S.-Y.: Near-Field Diffraction Pattern by an Underground Void of Circular Cylinder, 179B
Lee, W.-Y.
—; Wang, W.-S.: Optimization of the Charge Distribution Function on Coupled Microstrips by a Dielectric Layer, 182A
Leistad, J. E.
—; Fjeldly, T. A.: Photoresponse of GaAs MESFET Inverters by Pulsed Laser Illumination, 244B
Lenzner, M. See Bergner, H., 137A
Leviatan, Y. See Einziger, P. D., 208B
Li, G.
—; Seshadri, S. R.: Propagation Coefficient of the Transverse Electric Mode in a Rectangular Waveguide with Sinusoidally Varying Width, 279B
Li, M. See Chang, K., 90A; 189A
Li, M.-Y. See Miller, J. A., 393B
Li, S. F. See Dou, W. B., 200A
Lian, H.-X. See Wang, Q.-H., 34B
Lin, S.
—; Wu, J.; Liu, L.: Optical Implementation of a 2-D Neural Net with a Third-Order Interconnection for Image Quadratic Associative Memory Based on a Compact-Encoding Method, 304B
Lin, W.
The Electrostatic Problem of a Portion of a Sphere in a Uniform Field, 218B
—; Changhua, W.: Solutions of Some Transmission Lines, 163A
—; See Cheng, Y.-H., 329A, 285B; Guo, Q., 383B
Lin, W.-g. See Wang, Z.-l., 380A; 23B; 70B
Lin, W.-G. See Cheng, Y.-H., 136A, 265A; Wang, Z.-L., 179A
Linden, P. A. See Fusco, V. F., 216A
Ling, H. See Lee, S. W., 286A; Wang, T.-M., 320A
Ling, L. See Jianping, Z., 141B
Lintao, Z.
—; Xiaomin, R.; Peida, Y.: Theory of Feedback Phase Stabilization of External Cavity Semiconductor Lasers, 123A
Liping, S.
—; Peida, Y.: General Analysis of [3 × 3] Optical-Fiber Directional Couplers, 52B
—; See Weijian, J., 293A
Lippens, D.
—; Vanbesien, O.: Experimental Study of the Microwave Impedance of Resonant Tunneling Diodes, 233B
Liren, L. See Minhua, L., 94B
Liu, L. See Lin, S. 304B
Lizhong, S.
—; Peida, Y.: Mode Extinction Modulator Using $LiNbO_3$ Curved Waveguide, 204B
Lo, Y. T.
—; Oberhart, M. L.; Brenneman, J. S.; Aoyagi, P.; Moore, J.; Lee, R. Q. H.: Slotline Fed Microstrip Antenna Array Modules, 26A
—; See Aksun, M. I., 343B; Choi, S. J., 357B
Lomax, R. J. See Voelker, R. H., 125B
Lu, T. See Wu, S., 252B
Ludman, J. E. See Yu, F. T. S., 374A
Luh, H. H. S.
Gain-Area Product Limitation of Circular Aperture, 387B
Lundgren, L. See Beckman, C., 221A
Lurie, M. See Evans, G. A., 334B
Luy, J. F.
—; Strohm, K. M.; Buechler, J.: Monolithically Integrated Coplanar 75-GHz Silicon IMPATT Oscillator, 117A

Maclean, T. S. M. See Ghafoori-Shiraz, H., 170B
Mahapatra, S. See Sinha, M. P., 178A
Mains, R. K. See Mehdi, I., 172B

Maniá, L.
—; Vatalaro, F.: A Compact Biconical Dual-Mode Feed for Low-Cost Offset Reflector Antennas, 259A
Mansour, R. R.
—; Fouladian, J.: Analysis and Design of Extracted Pole E-Plane Filters, 286B
Mao, Y.
—; Shao, J.: The Calculation of the Nearfield of Curved Edge Paraboloid, 105A
Maoz, J. See Kisliuk, M., 126A
Markowitz, R. See Koffman, I., 232A
Marqués, R.
—; Horno, M.: An Exact Method for Analyzing Boxed Microstrips on Lossy Substrates, 39B
—; See Plaza, G., 257B
McGinn, V. P.
Photoelectrically Enhanced Microwave Imaging, 434B
—; Grimes, D. M.: Microwave Photoconductors, 326A
—; Moran, W. P.: Physically Short Linear Impedance Transformers, 249A
McGregor, D. S.
—; Park, C. S.; Weichold, M. H.; Taylor, H. F.; Chang, K.: Optically Excited Microwave Ring Resonators in Gallium Arsenide, 159B
McNamara, D. A.
A Space Factor Zero Placement Technique for the Synthesis of Subarrayed Monopulse Linear Arrays, 224B
—; Janse van Rensburg, D. J.: A Rapidly Convergent Galerkin-Collocation (GC) Method for the Analysis of Electromagnetic Scattering from Thin-Wire Structures, 355B
—; See Davidson, D. B., 243A
McWright, G.
—; Ross, B.: All-Optical Cutoff Modulation in Gallium Arsenide Ridge Waveguides, 373B
Medina, F. See Cano, G., 210B
Meenakshisundaram, P. See Deekshatulu, B. L., 50B
Mehdi, I.
—; Haddad, G. I.; Mains, R. K.: Performance Criteria for Resonant Tunneling Diodes as Millimeter-Wave Power Sources, 172B
Merat, F. L. See Sitterle, J. J., 40A
Merugu, L. N.
—; Fusco, V. F.; Stewart, J. A. C.: A Phase Quadrature Square Patch Microwave Coupler, 424B
Miao, J. See Xu, Y., 351A; 328B
Michalski, K. A.
—; Zheng, D.: On the Leaky Modes of Open Microstrip Lines, 6B
Miles, R. E. See Smith, I., 166A
Miller, J. A.
—; Li, M.-Y.; Chang, K.: A Simple Microstrip to Dielectric Waveguide Transition, 393B
Min, Y. See Minhua, L., 94B
Minhua, L.
—; Min, Y.; Liren, L.; Shudong, W.; Zhijiang, W.: Correlation with a Phase-Only Matched Filter Made from Outline Feature, 94B
Mittra, R. See Jervase, J. A., 43B; Khebir, A., 229B; Ko, W. L., 145B; Kouki, A. B., 85B; Pantić-Tanner, Z., 142A; 3B; Webb, K. J., 317A; Whites, K. W., 199B
Mohana Shankar, P.
Mode Coupling in On-Fiber Devices, 290A
Moore, J. See Lo, Y. T., 26A
Moore, T. M. See Shih, H. D., 153B
Moran, W. P. See McGinn, V. P., 249A
Mukherjee, A. See Gupta, B., 386B; Roy, J. S., 257A; 37B; 249B

Nagata, T. See Yu, F. T. S., 190A; 15B
Nakajima, M. See Konishi, Y., 44A
Nakano, H. See Yamauchi, J., 277B
Newberg, I. L.
—; Gee, C. M.; Thurmond, G. D.; Yen, H. W.: Radar Applications of 10-GHz Fiber Optic Links, 229A
—; See Gee, C. M., 67B
Ng, K. M. See Yeo, S. P., 91B
Ni, D. C. See Fetterman, H. R., 34A
Noritake, Y. See Konishi, Y., 44A
Nurie, N. S.
—; Langley, R. J.: Concentric Ring Microstrip Antenna, 389A

Oberhart, M. L. See Lo, Y. T., 26A
O'Caireallain, S. B. D.
—; Fusco, V. F.: Quasi-Lumped Element Quadrature Coupler Design, 216B
—; See Fusco, V. F., 19B
Ojeda-Castañeda, J.
—; Pons, A.: Quasihomogeneous Sources with Longitudinal Periodicity, 87A
—; See Rabal, H., 64B

Palfrey, S. L. See Evans, G. A., 334B
Palusinski, O. A.
—; Lee, A.: The Spectral Discretization of Transmission Line System, 53B
Pandey, R. K. See Chang, K., 189A
Pantic-Tanner, Z.
—; Chan, C. H.; Mittra, R.: Finite-Element Analysis of Anisotropic Waveguides with Storage Reduction and Elimination of Spurious Modes, 3B
—; Mittra, R.: Finite-Element Matrices for Loss Calculation in Quasi-TEM Analysis of Microwave Transmission Lines, 142A
Paolella, A.
—; Herczfeld, P. R.: Optical Gain Control of a GaAs MMIC Distributed Amplifier, 13A
Paoloni, C. See Giannini, F., 291B
Paradise, R. See Bharj, S. S., 95A
Park, C. S. See McGregor, D. S., 159B
Park, S.-O. See Lee, T.-K., 179B
Peida, Y. See Jianping, Z., 141B; Lintao, Z., 123A; Liping, S., 52B; Lizhong, S., 204B; Weijian, J., 293A; Xiao-pin, Z., 223A
Peixia, Q. See Dingyuan, T., 340A
Perez, O.
—; Karim, M. A.: An Efficient Implementation of Joint Fourier Transform Correlation Using a Modified LCTV, 193B
Peterson, A. F.
Absorbing Boundary Conditions for the Vector Wave Equation, 62B
—; See Tanner, D. R., 331B
Picon, O.
Three-Dimensional Finite-Element Formulation for Deterministic Waveguide Problems, 170A
—; Achkar, J.; Hanna, V. F.; Citerne, J.: Scattering Parameters of a Step Discontinuity in a Suspended Microstrip Line, 240A
Pistorius, C. W. I.
An Envelope Description of the RCS of Complex Scattering Bodies, 398B
Plaza, G.
—; Marqués, R.; Horno, M.: A Simple Model of Thick Strips in Anisotropic Multilayered Dielectric Media, 257B
Poddar, D. R. See Gupta, B., 386B; Roy, J. S., 257A; 37B; 249B
Polak-Dingels, P. See Butler, D., 119A; Rosen, A., 106A
Pons, A. See Ojeda-Castañeda, J., 87A
Pozar, D. M. See Aberle, J. T., 130B
Prasad, S. N.
—; Beyer, J. B.: Band-Pass Distributed Amplifiers, 349B
Pribetich, P. See Delrue, R., 183B; Huret, F., 205B; 378B

Rabal, H.
—; Zerbino, L.; Ojeda-Castañeda, J.: Continuous Order Derivative for Optical Signals and Images, 64B
Rahnavard, M. H.
Comparative Analysis of Infinite Strip Unstable Optical Resonators, 175B
Local Millimeter-Wave Power Transmitted through Illuminated Semiconductor Panel Scanned with Strip of Shadow, 211A
Local Reflected Millimeter Wave Power from Moving Strip Illuminated Semiconductor Panel, 110B
Magnitude and Phase of the Electric Field of Infinite-Strip Unstable Optical Resonators Using Different Techniques, 321B
Ra, J.-W. See Choi, H.-C., 26B; Lee, T.-K., 179B
Ramahi, O. See Khebir, A., 229B
Rebollar, J. M. See Baños-Polglase, J. D., 336A
Reddy, C. J.
—; Deshpande, M. D.: Characteristics of Broadside Coupled Cylindrical Striplines, 133A

Rexberg, L.
Vector Fourier Transform Analysis of Dielectric-Covered Slot in the Broad Wall of a Waveguide, 360A
Richardson, J. R. See Smith, I., 166A
Ries, G.
Comment on "Physically Short Linear Impedance Transformers," 144B
Rocco, M. T. M.
—; de Salles, A. A.: Dual Gate MESFET for Flat Microwave Response of Directly Modulated Laser Diode, 415B
Rongqing, H.
—; Yizun, W.; Chaoxiang, S.: Equivalent Current Theory on Anisotropic Optical Fiber, 319B
—; Yizun, W.: Linewidth Narrowing of External-Cavity Semiconductor Lasers under Direct Frequency Modulation, 214B
Roos, D. See Beckman, C., 221A
Rosen, A.
—; Stabile, P.; Janton, W.; Gombar, A.; Delmaster, J.; Basile, P.; Hurwitz, R.: Optically Controlled Subsystems at HF and at mm-Wavelengths, 374B
—; Stabile, P. J.; Sharma, A. K.; Lee, C. H.; Polak-Dingels, P.: Direct dc-to-rf Conversion by Impulse Excitation Utilizing a Lateral Pin Diode as a Switch, 106A
Ross, B. See McWright, G., 373B
Roy, J. S.
—; Poddar, D. R.; Mukherjee, A.; Chowdhury, S. K.: Characteristic Impedance of a Curved Microstrip Transmission Line, 257A
—; Poddar, D. R.; Mukherjee, A.; Chowdhury, S. K.: Erratum to "Characteristic Impedance of a Curved Microstrip Transmission Line," 37B
—; Poddar, D. R.; Mukherjee, A.; Chowdhury, S. K.: On the Design and Development of a Ring-Type Microstrip Power Divider with Any Desired Power Division Ratio, 249B
Rozenkovich, J. See Einziger, P. D., 208B
Ruggieri, M. See Giannini, F., 96B; 291B; Russo, P., 299A; 411B
Runwen, W.
—; Chao, Y.: Study on the Effect of Radiation Imprisonment, 58B
—; See Dingyuan, T., 340A; Yao, L., 140A; Yue, L., 135B
Russo, P.
—; Ruggieri, M.: A 32×32 Array for Satellite Reception, 411B
—; Ruggieri, M.: A High Gain Microstrip Array Adopting EMC Dipoles, 299A
Rydberg, A.
Calculation of Radial-Line Microwave Filters, 4A
—; Grönqvist, H.; Kollberg, E.: A Theoretical and Experimental Investigation on Millimeter-Wave Quantum Well Oscillators, 333A
—; Kollberg, E.: Experimental Investigation of Millimeter-Wave GaAs TED Oscillators Cooled to Cryogenic Temperatures, 10A

Salema, C.
A Numerically Efficient Algorithm to Compute Radiation Patterns of Large Aperture Antennas, 260B
Salmer, G. See De Jaeger, J. C., 121B; El-Ghazaly, S., 32A
Sastry, N. N.
—; Lakshminarayana, M.: A New Electromagnetically Coupled Printed Ring Radiator, 74B
Sauter, T. See Chang, K., 90A
Schöön, M. See Albinsson, B., 196A
Seguinot, C. See Delrue, R., 183B
Seshadri, S. R.
Attenuation Coefficient of the Guided Mode Supported by a Metal-Clad Planar Dielectric Waveguide, 8B
—; See Li, G., 279B
Seshagiri Rao, K. V.
—; Bhartia, P.: Analysis of Transmission Structure with Periodically Loaded Elliptical (Oval) Bars between Parallel Ground Planes, 282A
Shamir, J.
—; Caulfield, H. J.; Hendrickson, B. M.: Real-Time Optical Processing of Antenna Array Signals, 100A
Shao, J. See Mao, Y., 105A
Sharma, A. K. See Rosen, A., 106A
Shaw, M. P. See Czekaj, J., 70B
Shih, H. D.
—; Kim, B.; Bradshaw, K.; Tserng, H. Q.; Wurtele, M.; Duncan, W. M.; Moore, T. M.: Millimeter-Wave $In_{0.17}Ga_{0.83}As$ Power MESFETs on GaAs(100) Substrates, 153B
Shudong, W. See Minhua, L., 94B
Sierra, M.
Matching, Gain, and Noise Limits on Linear Amplifier Four-Poles 29B
Sinha, M. P.
—; Mahapatra, S.: Microwave Behavior of Electroless Microstrip Lines on SI GaAs Substrates, 178A
Sitterle, J. J.
—; Claspy, P. C.; Merat, F. L.: Computer Simulation of Atmospherically Corrupted Signals at the Focal Plane of a Parabolic Antenna, 40A
Skrehot, M. K. See Chang, K., 189A
Smith, I.
—; Richardson, J. R.; Miles, R. E.: A Periodic Nonlinear Analysis Technique for Microwave Mixers, 166A
Song, Q. W. See Yu, F. T. S., 323A
Spink, B. See Gee, C. M., 67B
Stabile, P. J. See Rosen, A., 106A; 374B
Stancil, D. D.
Thin-Film Permanent Magnet Requirements for Magnetic Devices in MMIC, 81B
Stephan, K. D.
—; Young, S.-L.: Mode Determination of Planar Coupled Millimeter-Wave Oscillators by Quasioptical Injection Locking, 156A
Stewart, J. A. C. See Choo, E. B. L., 277A; Merugu, L. N., 424B
Stoeva, A.
—; Urshev, L.; Angelov, I.: Theoretical and Experimental Determination of the Coplanar Line Dispersion Characteristics, 132B
Strobel, R. See Bergner, H., 137A
Strohm, K. M. See Luy, J. F., 117A
Suzuki, Y. See Yu, F. T. S., 323A

Tan, S. P. See Bharj, S. S., 297B
Tanner, D. R.
—; Peterson, A. F.: Vector Expansion Functions for the Numerical Solution of Maxwell's Equations, 331B
Tao, J. W.
—; Baudrand, H.; Espes, P.: Variational Analysis and Synthesis of Stepped Ridged Waveguide Transformers, 103B
Taylor, H. F. See Choi, Y. A., 49B; McGregor, D. S., 159B
Thompson, B. See Bharj, S. S., 297B
Thurmond, G. D. See Gee, C. M., 67B; Newberg, I. L., 229A
Truxal, D. A. See Evans, G. A., 334B
Tserng, H. Q. See Shih, H. D., 153B
Tsui, J. B. Y.
IFM Receiver with Capability of Detecting Simultaneous Signals, 162B

Uher, J. See Kosmopoulos, S. A., 346B
Urshev, L. See Stoeva, A., 132B

Vanbesien, O. See Lippens, D., 233B
van de Goor, W. A. See Herben, M. H. A. J., 368B
Vatalaro, F. See Maniá, L., 259A
Vescovo, R.
Characteristic Modes for Bodies Endowed with Mutually Orthogonal Symmetry Planes, 390B
Vickes, H.-O. See Albinsson, B., 196A
Voelker, R. H.
—; Lomax, R. J.: Three-Dimensional Simulation of Integrated Circuits Using a Variable Mesh TLM Method, 125B

Walsh, J. L. See Elcrat, A. R., 113B
Wang, Q.-H.
—; Lian, H.-X.: Theoretical Analysis of a Four-Level Single-Mode Fiber Laser, 34B
Wang, T.-M.
—; Ling, H.: Resonant Behavior of Conducting Slotted Rectangular Shells, 320A
Wang, W.-S. See Lee, W.-Y., 182A
Wang, Z. H. See Aksun, M. I., 343B

Wang, Z.-l.
—; Lin, W.-g.: Elastic and Inelastic Scattering by an Arbitrary Body Filled with Active Molecules: Method of Eigenfunction Expansion in Integral Equation, 70B
—; Lin, W.-g.: Elastic Multiple Scattering by Randomly Distributed Spherical Scatterers, 380A
—; Lin, W.-g.: Inelastic Multiple Scattering by Active Molecules Embedded in Randomly Distributed Spherical Scatterers, 23B

Wang, Z.-L.
—; Lin, W.-G.: Inelastic Scattering of Gaussian Beams by Active Molecules Embedded in a Sphere, 179A

Wartak, M. S.
—; Chrostowski, J.: Chromatic Dispersion in Nonlinear Optical Waveguides, 340B

Webb, J. P.
—; Kanellopoulos, V. N.: Absorbing Boundary Conditions for the Finite Element Solution of the Vector Wave Equation, 370B

Webb, K. J.
—; Caroglanian, A.; Grounds, P. W.; Mittra, R.: Numerical Convergence in Dichroic Problems, 317A
—; See Butler, D., 119A

Weichold, M. H. See McGregor, D. S., 159B

Weijian, J.
—; Liping, S.; Peida, Y.: The Analysis of the Gain of Brillouin Optical Fiber Amplifier, 293A

Whites, K. W.
—; Mittra, R.: Complex and Backward-Wave Modes in Dielectrically Loaded Lossy Circular Waveguides, 199B

Wiemer, L.
—; Jansen, R. H.: Reciprocity Related Definition of Strip Characteristic Impedance for Multiconductor Hybrid-Mode Transmission Lines, 22A

Willems, D. A. See Bahl, I. J., 110A

Wood, F. See Chowdhury, A., 175A

Wu, J.
—; Kao, M.-S.: Light Amplification Using Backward Raman Pumping, 129A
—; See Kao, M.-S., 10B; Lin, S., 304B

Wu, M. See Yu, F. T. S., 323A

Wu, S.
—; Lu, T.; Xu, X.; Yu, F. T. S.: An Adaptive Optical Neural Network Using a High Resolution Video Monitor, 252B

Wu, W. L. See Kajfez, D., 431B

Wu, Z.-d. See Zhu, N.-h., 240B

Wurtele, M. See Shih, H. D., 153B

Xiangzhen, C. See Yue, L., 135B

Xiaomin, R. See Lintao, Z., 123A

Xiao-pin, Z.
—; Peida, Y.: Analysis of Decision-Driven Loop-Based Receivers for Optic Fiber BPSK Homodyne Systems, 223A

Xu, X. See Wu, S., 252B

Xu, Y.
Application of Method of Lines to Solve Problems in the Cylindrical Coordinates, 173A
—; Bosisio, R. G.: Rigorous Solutions of Problems of Electromagnetic Resonators Loaded with High-Loss Dielectrics, 364B
—; Miao, J.: Theory and Design of Stub Tuned Nonreciprocal Stripline Junctions and Circulators, 351A
—; Miao, J.; Zhao, J.: Theoretical Calculation of Insertion Losses of Ferrite *Y*-Junction Circulators, 328B
—; Zhao, J.: Theoretical Analysis and Design of Wide Band *H*-Plane Waveguide *Y*-Junction Circulator, 268B

Xue-Feng, H.
—; Guo-Xian, Y.; Hai-Ting, Z.: Interferometric Waveguide Modulator with Polarization-Independent Operation, 101B

Yamashita, E. See Atsuki, K., 29A

Yamauchi, J.
—; Nakano, H.: Transition Loss in Bent Single-Mode Optical Fibers, 277B

Yang, H.-Y.
—; Alexopoulos, N. G.: A Dynamic Model for Printed Circuit Crossover Interconnects, 348A

Yansheng, X.
A Simple and Effective Method for Waveguides Loaded with Lossy Dielectrics or Magnetic Materials, 93A

Yao, L.
—; Zhiyao, Z.; Runwen, W.: Measuring Phase Retardation of Wave Plates: A Novel Technique, 140A

Yasumoto, K.
—; Kubo, H.; Itoh, Y.: Numerical Analysis of a Multilayered Dielectric Waveguide with a Periodic Surface, 317B

Yen, H. W. See Gee, C. M., 67B; Newberg, I. L., 229A

Yeo, S. P.
—; Chu, M. C.: A Dual Six-Port Network Analyzer, 208A
—; Yeo, T. S.; Ng, K. M.: First-Order Eigenmode Analysis of Symmetrical Five-Port Microstrip Ring Coupler, 91B

Yeo, T. S. See Yeo, S. P., 91B

Yizun, W. See Rongqing, H., 214B; 319B

Young, S.-L. See Stephan, K. D., 156A

Yu, F. T. S.
—; Jin, Y.; Zhang, C.: Symbolic Logic Processor Using Cascaded Liquid Crystal Televisions (LCTVs), 309B
—; Ludman, J. E.: Joint Fourier Transform Processor, 374A
—; Nagata, T.: Binary Phase Only Joint Transform Correlator, 15B
—; Nagata, T.: MFSK Signal Detection Using Acousto-Optic Joint Transform Correlator, 190A
—; Song, Q. W.; Suzuki, Y.; Wu, M.: Hard-Clipping Joint Transform Correlator Using a Microchannel Spatial Light Modulator, 323A
—; See Wu, S., 252B

Yue, L.
—; Xiangzhen, C.; Runwen, W.: Scanning Tunneling Microscopy of Thin Film Surfaces and Film Steps, 135B

Zaki, K. A. See Butler, D., 119A

Zerbino, L. See Rabal, H., 64B

Zhang, C. See Yu, F. T. S., 309B

Zhao, J. See Xu, Y., 268B; 328B

Zhendong, S.
—; Jiang, L.: Effective Dielectric Parameter Method—A New Method for Analyzing Propagation Characteristics of Dielectric Waveguides, 427B

Zheng, D. See Michalski, K. A., 6B

Zhijiang, W. See Minhua, L., 94B

Zhiyao, Z. See Yao, L., 140A

Zhou, G. See Guo, Q., 383B

Zhu, N.-h.
—; Wu, Z.-d.: Optimization of Phase-Reversal Travelling-Wave Optical Modulators, 240B

Subject Index to Volumes 1 and 2

Please note that A indicates Volume 1 and B indicates Volume 2.

Absorbing boundary condition(s), 229B, 370B
Acousto-optic cell, 190A
Active and passive modes, 103B
Active arrays, 8A
Active circulators, 18A
Active isolators, 18A
Active molecules, 23B
Active phased array, 344A
Active splitters, 297B
Adaptive arrays, 236A
All-optical modulation, 373B
Analysis, 96B
Anisotropic dielectric, 257B
Anisotropic material, 319B
Anisotropic substrates, 210B
Anisotropic waveguide, 3B
Antenna, 387B
Antenna arrays, 100A
Antenna beam forming, 13A
Antenna feed, 43B, 74B
Antennas, 367A, 361B
Aperture antenna, 260B
Applicator, 221A
Arbitrary body, 70B
Array modules, 26A
Array-switching circuit, 131A
Associative memory, 304B
Atmospheric optics, 40A
Atmospheric propagation, 40A
Attenuation coefficient, 8B
Avalanche breakdown voltage, 121B

Backward-wave modes, 199B
Band-pass amplifiers, 349B
Bandwidth expansion, 200A
Beam divergence, 384A
Beam steered, 411B
Beam transformation, 357A
Bent optical fiber, 277B
Bent waveguides, 285B
Bias model, 196A
Biconjugate gradient, 243A
Binary phase filter, 15B
Birefringence, 136A
Bistatic scattering width, 320A
Block diagonalization, 390B
Bouncing ray method, 286A
Brillouin amplifier, 293A
Brillouin effects, 293A
Broadbanding techniques, 126A
Broadband techniques, 208B
Broadside, 411B

CAD, 22A, 364A, 132B
Cadmium selenide, 326A, 434B
Cavity resonator, 431B
Characteristic, 113B
Characteristic impedance, 257A, 249B
Circuit simulation, 125B
Circularly polarized antennas, 357B
Circular path antennas, 130B
Circular polarization, 343B
Circulator, 200A, 268B, 328B
Coating, 81A
Coaxial filters, 336A
Coaxial line, 4A
Coherence theory, 87A
Coherent homodyne receiver, 52B
Coherent optical communication(s), 10B, 188B
Coherent optical system, 161A, 127B, 325B
Collocation, 355B
Compact range, 105A
Complex modes, 199B
Complex signal reconstruction, 100A
Composite optical fibers, 29A
Computational electromagnetics, 355B
Computer-aided design, 277A, 183B
Computer simulation, 216A, 277A, 121B
Concentric rings, 389A
Conducting bodies of revolution, 243A
Conformal arrays, 145B
Conformal mapping, 163A, 257A
Conformal transformation, 282A
Conical horn, 386A
Conjugate gradient–fast Fourier transform method, 165B
Conjugate gradient method, 243A
Control of a MMIC transmit/receive (T/R) module by optical means, 13A
Convergence, 317A
Coplanar line(s), 132B, 183B, 404B
Coplanar waveguide, 117A
Corporate feed, 299A
Correlation, 94B
Corrugated horns, 368B
Corrugated sidewalls, 279B
Coupled mode theory, 265A
Coupled oscillators, 156A
Coupled transmission lines, 153A
Couplers, 18A, 364A, 216B
Coupling efficiency, 170B
Cross-borehole probing, 179B
Crossover interconnects, 348A
Cross polarization, 247B
Cross section, 434B
Cross-talk, 348A, 196B
Curved optical waveguides, 136A, 265A, 329A
Cutoff frequency, 199B
Cylindrical microstrip, 173A

dc-to-rf conversion, 106A
Defocusing, 357A
Delay line, 232A
Depth-dependent diffusion coefficient, 311A
Detection, 336B
Dielectric, 54B, 113B
Dielectric-covered slot, 360A
Dielectric-loaded cavity, 221A
Dielectric measurements, 336A
Dielectrics, 26B
Dielectric sphere, 179A
Dielectric waveguide, 393B, 427B
Diffraction, 175A, 175B, 321B
Diffraction (GTD), 434B
Diffraction pattern, 179B
Diffusion, 311A
Diffusion equation, 311A
Diplexer, 286B
Dipole antenna, 208B
Direct broadcasting satellite (DBS), 259A
Directional couplers, 348A
Direct laser modulation, 415B
Dispersion, 22A, 132B, 210B, 340B
Dispersion characteristic(s), 6B, 427B
Distributed amplifiers, 349B
Distributed circuits, 216B
Distribution network, 297B
Double nulls, 179B
Dual band antennas, 389A
Dual-gate MESFET, 196A, 415B
Dual-mode feeds, 259A
Dyadic Green's functions, 179A
Dye lasers, 34A, 194A

Earth station antennas, 259A
Edge detection, 377A
Edge diffraction, 357A
Effective dielectric constant, 427B
Effective dielectric parameter, 427B
Effective permeability, 427B
Eigenfunction expansion, 70B
Eigenvalue equation for the modes, 390B
Elastic and inelastic scattering, 70B
Elastic multiple scattering, 380A
Electric-field sensors, 361B
Electromagnetic characterization, 153A
Electromagnetic coupling, 282A
Electromagnetic coupling through apertures, 85B
Electromagnetic fields, 125B
Electromagnetics, 380B
Electromagnetic scattering, 286A, 229B, 370B
Electronic warfare, 162B
Electrooptics, 240B
Electrostatic problem, 218B
EMC dipole, 299A
E-plane filter, 286B
Equivalent circuit, 233B
Equivalent circuit analysis, 277A
Error probability, 184A
Even and odd mode impedance, 282A
Experiment, 317A
External cavity-semiconductor laser, 123A

Fabry–Perot resonator, 88B
Failure analysis, 344A
Far-infrared laser, 268A
Fast Fourier transform algorithm, 372A
Ferrite, 328B
Ferrite beads, 44A
Ferrite devices, 81B
FET, 155B
FET amplifier(s), 18A, 95A
FET frequency dividers, 346B
FETs, 34A
FET switch, 110A
Fiber array, 421B
Fiber optics, 229A, 262A, 361B

Field calculation, 321B
Field-effect transistor, 121B
Film step, 135B
Filters, 441B
Finite-difference methods, 216A
Finite-element analysis, 170A, 3B
Finite element method, 142A, 331B, 370B
Finite multilayer structures, 165B
Finlines, 346B
Focal plane signal, 40A
Fourier optics, 87A
Frequency, 113B
Frequency chirp, 141B
Frequency dividers, 346B
Frequency scaling, 386B
Frequency selective surfaces, 317A
Frequency shift keying, 190A, 325B, 418B
Fundamental, 333A

GaAlAs material, 233B
GaAs, 252A, 153B, 196B, 272B
GaAs logic, 244B
GaAs microwave monolithic integrated circuit (MMIC), 13A
GaAs substrate, 205B, 378B
GaAs technology, 178A
Gain and match limits, 29B
Gain-area product, 387B
Gain-bandwidth product, 1B
Galerkin, 355B
Gallium arsenide, 159B
Gaussian beam, 179A
Geometrical optics, 367A, 175B
Geometrical optics rays, 81A
Geometrical theory of diffraction (GTD), 105A
Geophysical scattering, 179B
Grating surface emitting, 334B
Guided mode, 8B
Gunn oscillators, 8A, 10A
—, GaAs InP TED, 10A
—, low-temperature techniques, 10A
—, millimeter-wave oscillators, 10A

Half-wave resonators, 441B
Harmonic, 333A
Harmonic generation, 88B
HEMTs, 34A
HEMT structure, 1B
Heterodyne detector, 268A
Hexagonal slab line, 163A
High-critical-temperature superconductors, 153A
High-loss dielectrics, 364B
High-power device, 155B
High resolution video monitor, 252B
High-speed, 229A
High-speed interconnects, 153A
High-speed testing, 244B
Hologram, 282B
Hopfield model, 252B
Horn antenna(s), 386A, 260B, 400B
Hybrid coupler, 424B
Hyperthermia, 221A

Illuminated semiconductor panel, 211A, 110B
Image processing, 50B, 282B
Image storage, 304B
Imaging lens, 357A
IMPATT diode, 117A
Impedance, 210B, 437B
Impedance matching, 144B
Impedance measurement, 90A
Impedance transformer, 144B
Incomplete sphere, 218B
Inelastic multiple scattering, 23B
Infrared, 131A
InGaAs, 153B
Injection locking, 156A
Injection locking techniques, 8A
Integral equation method, 70B
Integrated circuit(s), 74B, 393B
Integrated optics, 20A, 329A, 101B, 204B, 240B, 373B
Interaction of solitons, 383B
Interconnections, 252A, 196B, 272B
Interconnection weight matrix, 252B
Interferometer, 140A, 13B, 88B
Interferometric waveguide modulator, 101B
Inverse matrix, 222B
Inverse scattering, 26B

Joint Fourier transform correlator, 193B
Joint transform correlator, 190A
Joint transform processor, 374A

Kerr effect, 340A

Laser, 418B
Laser arrays, 334B
Laser machining, 421B
Laser mode control, 123A
Laser modulation, 13B
Laser phase stabilization, 123A
Lau effect, 87A
Layered medium, 157B
LCTV, 193B
Leaky modes, 6B
Leaky waveguide modes, 20A
Least squares solution, 265B
LED array, 131A
Legendre functions, 218B
Lensless imagery, 87A
Light coupling efficiency, 262A
Light propagation, 87A
LiNbO, 101B
Linear and circular polarization, 299A
Linear four-pole theory, 29B
Linear frequency tuning, 59B
Linear transformer, 249A
Liquid-core fibers, 194A
Liquid crystal televisions, 309B
Load effect, 437B
Local field analysis, 285B
Local fields, 329A
Local oscillator, 297B
Loss calculation, 142A
Lossy dielectric slab, 93A
Lossy magnetic slab, 93A
Lossy substrates, 39B
Low impedance, 96B, 291B
Low sidelobe, 308A
Lumped element, 326A
Lumped element limits, 216B

Magnetic-current loop, 157B
Markov matrices, 216A
Matching, 249A
Matrix-vector processors, 47B
MBE, 153B
Memory loop, 232A
MESFET, 153B
MESFET modeling, 32A
MESFETs, 125B
Metal-clad planar dielectric waveguide, 8B
Method of lines, 173A
Method of moments, 320A, 372A, 331B
MIC, 257B
Microstrip, 26A, 257A, 364A,138B, 247B, 249B, 393B, 424B
Microstrip and stripline, 133A
Microstrip antennas, 165B, 343B, 357B
Microstrip array, 299A, 411B
Microstrip coupler(s), 91B, 407B
Microstrip line(s), 90A, 182A, 216A, 6B, 39B
Microstrip patch antennas, 389A
Microstrip radial stub, 291B
Microstrip technology, 407B
Microstrip via hole, 157B
Microwave, 326A
Microwave circuits, 407B
Microwave circuits and networks, 133A
Microwave circuits and systems, 240A
Microwave components, 441B
Microwave devices, 54B
Microwave devices and components, 404B
Microwave filters, 4A
Microwave generation, 159B
Microwave generation from laser diode, 13B
Microwave impedance, 233B
Microwave integrated circuits, 348A
Microwave measurement(s), 90A, 208A
Microwave mixers, 166A
Microwave monolithic limit, 178A
Microwave/optical circuit integration, 1B
Microwave-optical devices, 34A, 119A
Microwave–optical interactions, 159B
Microwave receiver, 95A, 162B
Microwave transmission lines, 142A
Millimeter-wave couplers, 64B
Millimeter-wave mixers, 1A
Millimeter-wave oscillators, 156A
Millimeter wave(s), 117A, 211A, 333A, 110B, 153B, 437B
Millimeter-wave sources, 172B
Mixer, 95A
MMIC, 155B, 183B, 257B
MMIC dielectrics, 249A
MMICs, 216B
mm-wave amplifiers, 349B
Mobile and cellular radio, 19B
Modal theory, 96B, 291B
Mode coupling, 290A, 319B
Model, 311A
Modeling and simulation, 19B
Mode matching analysis, 400B
Mode matching method, 351A, 317B
Mode matching techniques, 259A
Mode spectrum, 146A
Modified residue calculus techniques, 39B
Modular codes, 47B
Modulation techniques, 127B
Modulators, 240B

Moment method, 360A, 26B, 208B, 265B, 390B
Moment method solution, 130B
Moments, 434B
Monolithic, 326A
Monolithic circuit(s), 18A, 22A, 95A, 106A, 81B
Monolithic integration, 117A
Monolithic microwave integrated circuit, 110A
Monolithic phased array, 119A
Monopulse arrays, 224B
Multiconductor integrated circuits, 22A, 64B
Multiconductor modal theory, 149B
Multifrequency antenna systems, 368B
Multilayer, 257B
Multilayered dielectric waveguides, 317B
Multilayered structures, 138B
Multimode fibers, 290A
Multiple-dielectric waveguides, 199B
Multiple scattering, 380B
Mutual coupling, 386B

Nearfield, 105A
Network analog, 252A
Network analyzer, 208A
Neural networks, 304B
N-furcated coaxial discontinuities, 336A
Noise, 223A, 141B, 336B
Nonlinear analysis, 166A
Nonlinear gain, 102A
Nonlinear Kerr medium, 340A
Nonlinear model, 88B
Nonreciprocal devices, 351A
NOT logic, 175A
Numerical analysis, 317B, 437B
Numerical method(s), 3B, 43B, 222B, 260B, 380B

OEICs, 415B
Offset antennas, 259A
Offset reflector antenna, 308A
On-fiber devices, 290A
Open and shorted straight stubs, 291B
Open resonators, 296A
Optical AND logic, 175A
Optical communication(s), 129A, 184A, 246A, 141B, 214B, 336B, 418B
Optical computing, 175A, 236A, 310A, 323A, 377A, 282B, 304B, 309B
Optical correlation, 323A
Optical correlator, 374A, 15B
Optical coupling, 421B
Optical data processing, 236A
Optical fiber, 293A, 188B, 319B, 325B
Optical fiber amplifier, 34B
Optical-fiber directional coupler, 52B
Optical fiber laser, 34B
Optical fibers, 232A
Optical fiber soliton communication, 383B
Optical gain control, 13A
Optical heterodyne technique, 140A
Optical logic processor, 309B
Optically controlled antennas, 344A
Optical-microwave interactions, 374B
Optical mixing, 34A
Optical modulation, 240B
Optical neural network, 252B
Optical processing, 100A, 323A
Optical processors, 47B
Optical pulse, 340A
Optical receivers, 418B
Optical resonator(s), 175B, 321B
Optical signal processing, 15B
Optical signal processor, 374A
Optical soliton, 383B
Optical waveguides, 136A, 265A, 204B, 285B, 340B, 373B, 421B
Optic fiber communication, 223A
Optimization, 103B
Optimum output power oscillator, 277A
Optoelectronic components, 229A
Optoelectronic source, 119A
Optoelectronic switching, 137A
Orthogonal projection algorithm, 252B
Oscillator, 333A, 437B

Parallel and serial processing, 50B
Parallel plates, 305A
Parametric frequency dividers, 346B
Partial differential equation techniques, 229B
Patch antenna, 1A, 26A, 247B
Patch coupler, 424B
Path antennas, 8A
Pattern recognition, 94B
Pattern synthesis, 387B
Periodical, 311A
Periodic steady state, 166A
Periodic structures, 372A
Periodic surfaces, 317B
Perturbation method, 277B
Perturbation technique, 8B
Phased array antennas and antenna remoting, 13A
Phase-locked loop, 223A, 59B
Phase modulation, 161A
Phase noise, 161A, 127B
Phase noise test sets, 229A
Phase-only matched filter, 94B
Phase retardation measurement, 140A
Phase retrieval, 100A
Phase shifter, 196A
Photoconductive detector, 1B
Photoconductor, 137A, 326A, 434B
Photoresponse, 244B
Picosecond laser pulses, 244B
Picosecond switch, 119A, 137A
Pilo second optoelectronic switch, 106A
PIN, 374B
PIN switch, 106A
Planar circuits, 132B
Planar lines, 210B
Plasma diagnosis, 268A
Point-matching methods, 29A
Polarization, 246A, 377A, 325B
Polarization compensation, 127B
Polarization-independent operation, 101B
Polarization modulation, 188B
Power combining, 8A
Power dividers, 18A
Power generation, 172B
Preconditioning, 243A
Printed antennas and arrays, 130B
Probabilistic potential theory, 216A
Propagation coefficient, 279B
Propagation delays, 272B
Pseudocolor coding, 50B
Pseudomorphic resonant tunneling diodes, 172B
PSK system, 184A
Pulse compression techniques, 340B
Pulse modulation, 336B
Pyramidical basis functions, 265B

Q factors, 54B, 357B
Q-measurement, 296A
Quadrature, 355B
Quality factor, 431B
Quantum well, 333A
Quasioptical injection locking, 156A
Quasioptical power combining, 156A
Quasioptical receiver, 40A
Quasioptical techniques, 1A

Radar, 434B
Radar antenna, 308A
Radar applications, 232A
Radar cross section, 398B
Radar cross section (RCS), 286A
Radar repeater, 229A
Radial line, 4A
Radial-line filters, 336A
Radiation loss, 319B
Radiation pattern, 344A, 260B
Radio and microwave communications, 19B
Radome, 81A
Raman amplifier, 10B
Randomly distributed spherical scatterers, 23B
Random scatterers, 380A
Reactance compensation, 126A
Real-time pattern recognition, 193B
Receivers, 404B
Rectangular cavity modes, 364B
Rectangular slots, 343B
Rectangular waveguide, 93A, 279B
Redundancy and reliability, 110A
Reflector antenna(s), 81A, 43B, 368B
Reflectors, 367A
Regularization method, 26B
Residue arithmetic, 47B
Resolution, 434B
Resonant, 113B
Resonant cavity, 54B
Resonant frequency, 54B
Resonant strips in waveguide, 189A
Resonant tunneling, 172B
Resonant tunneling diodes, 233B
Resonator(s), 54B, 364B
RF measurements, 189A
Ridged waveguide, 103B
Ring antennas, 74B
Ring circuit, 91B
Ring resonator, 159B
Ring-type power divider, 249B

Satellite communication(s), 19B, 368B
Scanning tunneling microscopy, 135B
Scattering, 129A, 179A, 240A, 268A, 113B, 145B, 398B
Scattering parameters, 222B
Semiconductor laser(s), 20A, 102A, 214A, 223A, 262A, 384A, 141B, 170B, 214B, 334B
Semiconductor processing, 178A

Shadow-casting, 377A
Signal detection, 223A
Signal processing, 26B, 162B, 309B
Si–MBE, 117A
Single detection, 190A
Single-mode fiber, 214A, 384A, 170B
Singular perturbation procedure, 279B
Six-port technique, 208A
Slab line, 163A
Slot, 305A
Slot antenna, 305A
Slotline, 26A, 404B
Slotted rectangular shell, 320A
Slotted waveguide, 305A
Small-signal analysis, 32A
Spatial light modulator, 323A, 15B
Spectral domain approach, 85B
Spectral-Galerkin method, 145B
Spectral Green's functions, 157B
Spectrum domain analysis, 205B, 378B
Spherical aberration, 357A
Spherical scatterers, 380A
Spherical wave expansion (SWE), 105A
Square, 163A
Stabilization of amplifier, 44A
Straight stub, 96B
Stratified line, 249A
Stripline circulators, 351A
Strip transmission lines and filters, 282A
Subarraying, 224B
Subharmonically pumped mixers, 1A
Superconducting microstrip line, 205B, 378B
Superconductors, 189A
Surface modes, 200A
Surface profile, 135B
Surface waves, 138B
Suspended microstrip line, 240A
Switch, 374B
Symbolic substitution, 310A
Symmetry and antisymmetry, 390B
Synthesis, 96B, 103B, 224B, 291B

Thick microstrip, 257B
Thin film magnets, 81B
Thin-wire scattering, 355B
Time convolution, 166A
Titanium indiffusion, 101B
T-junction, 170A, 286B
TLM, 424B
TLM method, 125B
Toroidal coordinates, 218B
Transistor amplifier, 44A
Transition loss, 277B
Transmission line(s), 90A, 64B, 144B, 149B, 441B
Traveling wave field effect transistor, 313B
Travelling-wave amplifiers, 349B
Triangular, 163A
Two-dimensional Monte Carlo simulation, 32A

Underground cavity, 179B

Variational approach, 103B
Variational method, 182A
VCO, 297B
Vector basis functions, 331B
Vector wave equation, 331B
V-groove, 421B
VLSI, 252A, 196B, 272B
Voltage-controlled oscillator, 59B
Volume modes, 200A

Waveguide, 360A
Waveguide components, 204B
Waveguide junctions, 208A
Waveguides, 146A, 170A, 336A
Waveguide slot antennas, 126A
Waveguide transition, 393B
Wave plate, 140A
White-light processing, 50B
Wideband amplifiers, 349B
Wideband integrated amplifiers, 313B
Wide bandwidth, 268B
Wiener–Hopf techniques, 39B

X-OR logic, 175A

Y-junction, 268B, 328B